10

Exploitation
Detection
Module
(1st Component)

12

INTERFACES
(Optional)

18

Forensics
Module
(2nd Component)

14

OS Restoration
Module
(3rd Component)

16

Fig. 1

21

Start

22

Detect Occurrence
of Exploit

24

Collect Forensics Data That
is Characteristic of Exploit

26

Restore OS

27

End

20

Fig. 2

START

31

launch

32

Load/execute/
unload kernel
module
(main.c).

34

File Checker
(ls.pl)

36

Port Checker
(bc.pl)

38

END

39

12

FIG. 3

34

40 START

41 Initialization

42 Search for hidden kernel modules

43 Found hidden modules?

50 output results

44 Search for hidden system call patches

45 Found call patches?

51 output results

46 Search for hidden processes

47 Found hidden processes?

52 output results

48 Search for hidden files

49 END

FIG. 4

SECURITY SOFTWARE SYSTEM

Hidden Module Detection Model	Anomaly →	Malicious kernel module memory range is reported
System Call Table Integrity Verification Model	Anomaly →	Malicious kernel module memory range is reported
Hidden Process Detection Model	Anomaly →	Malicious process ID and name is reported
Hidden File Detection Model (File Checker)	Anomaly →	Malicious file listener is reported
Hidden Port Detection Model (Port Checker)	Anomaly →	Malicious port location is reported

INTERFACES

Forensics Module

OS Restoration Module

FIG. 5

KERNEL MODULE HIDING
Module list before removal

NULL → prev | Module 1 | next ↔ prev | Module 2 | next ↔ prev | Module 3 | next → NULL

FIG. 6(a)

Module list after hacker technique for removal

NULL → prev | Module 1 | next   prev | Hacker Module | next   prev | Module 3 | next → NULL

FIG. 6(b)

HIDDEN KERNEL MODULE DISCOVERY MODEL

0xFFFFFFFF

↑

P
H
Y
S
I
C
A
L

M
E
M
O
R
Y

↓

0xC0100000

unused memory
for proper
alignment

79

Module 4 (0x1102 bytes size)

Hidden Hacker Module 78

Module 3 (0x1102 bytes size) 77

76

Module 2 (0xc102 bytes size) 75

74

73

Module 1 (0x2102 bytes size)

72

Kernel Memory 71

BEST GUESS FOR NEXT
MODULE START POINT

$$\sum \text{previous module sizes} + \text{page size alignment considerations}$$

70

FIG. 7

USER SPACE MEMORY 94

```
/* ps.c application */
#include <stdio.h>
...
int main (int argc, char **argv) {
    DIR *dir;
    struct dirent *entry;

    dir = opendir("/proc");
    while ((entry = readdir(dir) != NULL) {
        ...
    }
}
```

INTERRUPT

SYSCALL Table 90

1	sys_exit
2	sys_fork
3	sys_read
4	sys_write
5	sys_open
6	sys_close
7	sys_waitpid
8	sys_creat
9	sys_link
10	sys_unlink

92

KERNEL SPACE MEMORY 96

```
/* kernel open.c */
long sys_open(const char *filename, int flags, int mode) {
    char *tmp;
    int fd, error;

    ...
}
```

FIG. 9

```
                                    ┌──────────────┐     80
                                    │Initialization│  ⌒
                                    └──────────────┘
        81                                 │
          ⌒                                ▼
        ┌──────────────┐
        │Lock vmlist from│
        │   reading     │
        └──────────────┘
                │
                ▼                          82
        ┌──────────────┐               ⌒
        │For every vmlist│
        │   element     │
        └──────────────┘
                │
                ▼                      83
              ◇────────────◇        ⌒
      N───────│  Module?   │
              ◇────────────◇
                    │ Y
                    ▼                  84
        ┌──────────────┐           ⌒
        │Make a pointer to│
        │  the module   │
        └──────────────┘
                │
                ▼                      85
              ◇────────────◇        ⌒
      N───────│Valid Module?│
              ◇────────────◇
                    │ Y
                    ▼            86
              ◇────────────◇  ⌒
      N───────│  Hidden?   │────Y──── ┌──────────────┐    87
              ◇────────────◇           │Write results to the│  ⌒
                    │                  │  output file │
                    │                  └──────────────┘
                    │                  ┌──────────────┐
                    │                  │  Forensics   │     18
                    │                  │  Interface   │
                    │                  └──────────────┘
                    │                  ┌──────────────┐
        88          │                  │ Restoration  │
          ⌒         ▼                  │  Interface   │
        ┌──────────────┐               └──────────────┘
        │Lock vmlist from│◄─ ─ ─ ─ ─ ─ ─
        │   reading     │
        └──────────────┘
                │
        89      ▼
          ⌒ ╭──────────╮
            │  RETURN  │
            ╰──────────╯
```

FIG. 8

FIG. 10 (a)

START — 101

↓

Initialization — 102

↓

Obtain address of system call table — 103

↓

Check system call table — 104

↓

END — 105

44

FIG. 10(b)

Initialization — 106

↓

for the first 50 bytes following the interrupt 80 location — 107

↓

is this a call to a double word pointer? — 108

N (loops back up)

Y ↓

RETURN — 109

103

FIG. 10(c)

Initialization — 110

↓

for the entire size of the syscall table — 111

↓

out of range? — 112

N (loops back to 111)

Y → Write results to the output file — 113

Forensics Interface

Restoration Interface

18

set highest and lowest values — 114

↓

Are System Calls Patched? — 116

Y → Search modules — 115

N ↓

RETURN — 117

104

FIG. 10(d)

IDENTIFIED SYSCALL ANOMALIES CAUSE BY ADORE v0.42

syscall[2]	fork	FAILED	0xf8aca650
syscall[4]	write	FAILED	0xf8aca7e8
syscall[5]	open	FAILED	0xf8acb184
syscall[6]	close	FAILED	0xf8aca898
syscall[18]	oldstat	FAILED	0xf8acabe4
syscall[37]	kill	FAILED	0xf8aca710
syscall[39]	mkdir	FAILED	0xf8aca9a0
syscall[84]	oldlstat	FAILED	0xf8acacd0
syscall[106]	stat	FAILED	0xf8acadbc
syscall[107]	lstat	FAILED	0xf8acae94
syscall[120]	clone	FAILED	0xf8aca6b0
syscall[141]	getdents	FAILED	0xf8aca368
syscall[195]	stat64	FAILED	0xf8acaf80
syscall[196]	lstat64	FAILED	0xf8acb080
syscall[220]	getdents64	FAILED	0xf8aca4d

125

→ Highest

127

→ Lowest

```
analyze_memory(highest, lowest) {

    if the range falls between two
    valid kernel modules then flag
    the entire memory range in
    between the two as a malicous
    kernel module.

}
```

FIG. 11

HIDDEN PROCESS DISCOVERY

46

124

User space observation of
running processes:

```
(1) call_usermodehelper(ps)
(2) save results into a file
```

126

Kernel space observation of
running processes:

```
(1) for_each_task(p)
(2) save results
```

(3) Any process found in kernel space, but not in user space is flagged as "HIDDEN"

FIG. 12

128

HIDDEN FILE DISCOVERY

48

152

User space observation of
existing files:

```
(1) call_usermodehelper(ls -alR)
(2) save results into a file
```

151

Kernel space observation of
existing files:

```
(1) generate a web of directory entries
    for the entire storage device using
    recursion
(2) save results
```

(3) Any file found in kernel space, but not in user space is flagged as "HIDDEN"

FIG. 15

153

HIDDEN PORT LISTENER DETECTION MODEL

38

180

182

Execute "netstat" and
observe behavior

183

Generate a "trusted" list of
ports available for binding

LISTEN: port 22 (ssh)
LISTEN: port 80 (httpd)

Compare results and
report anomalies

USED: port 22 (ssh)
USED: port 80 (httpd)
USED: port 31337

HIDDEN Listener Found: port 31337

184

FIG. 18

FIG. 13

Initialization — 130

For all processes currently listed as "executing" in user space. — 131

Acquire tasklist read lock — 132

For all processes currently included in the task list. — 133 / 46

Hidden? — 134

Output results — 135

Forensics Interface

Restoration Interface — 18

Analyze the process IDs that are not listed in the task list for potential hiding. — 140

Release the read lock for the task list — 136

RETURN — 137

FIG. 14

140

Initialization — 142

For all processes between start and stop — 144

Hidden? — 146

output results — 148

Forensics Interface

Restoration Interface — 18

RETURN — 149

FIG. 16

Initialization — 161

get kernel FS — 162

read root directory entry — 163

call process_root() to recursively list every file starting with the root directory entry — 164

set user space FS — 165

RETURN — 166

48

Fig. 17

START — 170

Initialization — 171

For every file listed in the "trusted" results file — 172

Exist? — 173
- Y
- N → output results — 174

36

Forensics Interface
Restoration Interface — 18

END — 175

Fig. 17

FIG. 19

START — 190

Initialization — 191

For every possible port — 192

Bind? — 193
- Y
- N

38

Hidden? — 194
- N
- Y → output results — 195

Forensics Interface
Restoration Interface — 18

END — 196

FIG. 19

```
Script started on Sat Aug  9 15:42:00 2003
[root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator_ this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]

-----------------------[ SUMMARY ]-----------------------
NO hidden modules were found.
NO system call table modifications were found.
NO hidden processes were found.
WARNING: File size is 60133 (should be 58885): /var/log/sa/sa09
WARNING: File size is 1010871 (should be 1010003): /var/log/cron
WARNING: File size is 597700 (should be 597264): /var/log/maillog
NO hidden files were found.
NO hidden TCP port listeners were found.
[root@localhost interrogator]# exit
Script done on Sat Aug  9 16:01:52 2003
```

/200

/202

FIG. 20(a)

```
[root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator_ this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]

-----------------------[ SUMMARY ]-----------------------
NO hidden modules were found.
NO system call table modifications were found.

WARNING: process id 13745 hidden or just exited (tb)
Launch Path: /root/code/interrogator/de-rojansans/tb
FOUND 1 Hidden process listing

HIDDEN File found: /tmp/hideme
WARNING: File size is 62629 (should be 61381): /var/log/sa/sa09
WARNING: File size is 1013693 (should be 1012816): /var/log/cron
WARNING: File size is 599450 (should be 599012): /var/log/maillog

HIDDEN TCP Port Listener found: port 2222
[root@localhost interrogator]# exit
```

FIG. 20(b)

```
[root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator... this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]

----------------------[ SUMMARY ]----------------------
.WARNING suspect module found: f8a0f000 8000 bytes (adore)
Image stored at /tmp/interrogator/adore.o
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[2]      FAILED  0xf8a0f650      fork
syscall[4]      FAILED  0xf8a0f7e8      write
syscall[5]      FAILED  0xf8a10184      open
syscall[6]      FAILED  0xf8a0f898      close
syscall[18]     FAILED  0xf8a0fbe4      oldstat
syscall[37]     FAILED  0xf8a0f710      kill
syscall[39]     FAILED  0xf8a0f9a0      mkdir
syscall[84]     FAILED  0xf8a0fcd0      oldlstat
syscall[106]    FAILED  0xf8a0fdbc      stat
syscall[107]    FAILED  0xf8a0fe94      lstat
syscall[120]    FAILED  0xf8a0f6b0      clone
syscall[141]    FAILED  0xf8a0f368      getdents
syscall[195]    FAILED  0xf8a0ff80      stat64
syscall[196]    FAILED  0xf8a10080      lstat64
syscall[220]    FAILED  0xf8a0f4dc      getdents64
Suspect module located (0xf89da6d8 - 0xf8a12000)
FOUND 15 Modified syscall table functions

WARNING: Found process id 836 removed from the task_queue.
Launch Path: /root/code/interrogator/demo/trojans/test
WARNING: process id 13745 hidden or just exited (tb)
Launch Path: /root/code/interrogator/demo/trojans/tb
FOUND 2 Hidden process listings

HIDDEN File found: /tmp/hideme
WARNING: File size is 2336990 (should be 2335392): /var/log/messages

HIDDEN TCP Port Listener found: port 111
HIDDEN TCP Port Listener found: port 139
HIDDEN TCP Port Listener found: port 2222
HIDDEN TCP Port Listener found: port 6000
HIDDEN TCP Port Listener found: port 32768
HIDDEN TCP Port Listener found: port 32769

[root@localhost interrogator]# exit
```

204

FIG. 20(c)

```
[root@localhost interrogator]# ./interrogator
Where would you like the results stored? [/tmp/interrogator/]
Check for hidden processes? [Y]
Check for hidden TCP port listeners? [Y]
Check for system call patching? [Y]
Check for hidden kernel modules? [Y]
Check for hidden files? (may take > 15 minutes) [N] Y
Running the interrogator... this may take a minute
Results are located at /tmp/interrogator/summary
View results now? [Y]

----------------------[ SUMMARY ]----------------------
WARNING suspect module found: f8a10000 184700 bytes (homegrown)
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[3]      FAILED  0xf8a11494      read
syscall[5]      FAILED  0xf8a11020      open
syscall[11]     FAILED  0xf8a10ebc      execve
syscall[13]     FAILED  0xf8a118a0      time
syscall[78]     FAILED  0xf8a1183c      gettimeofday
syscall[141]    FAILED  0xf8a11544      getdents
syscall[220]    FAILED  0xf8a116c0      getdents64
Suspect module located (0xf89db6d8 - 0xf8a3f000)
FOUND 7 Modified syscall table functions

WARNING: process id 1584 hidden or just exited (tb)
Launch Path: /root/code/interrogator/demo/trojans/tb
FOUND 1 Hidden process listing

HIDDEN File found: /tmp/hideme
WARNING: File size is 1021523 (should be 1020648): /var/log/cron
WARNING: File size is 603820 (should be 603384): /var/log/maillog

HIDDEN TCP Port Listener found: port 2222
[root@localhost interrogator]# exit
```

206

FIG. 20(d)

FIG. 21

START — 210

↓

forensics — 212

↓

Load/execute/ unload kernel module (main.c). — 214

↓

END — 216

FIG. 23

Lock tasklist for writing — 233

↓

For all processes — 234

↓

Exclude? — 235

Y →

N ↓

Freeze — 236

↓

Unlock tasklist for writing — 237

↓

RETURN — 238

221

FIG. 24

222

Initialization — 240

↓

Success? — 242

N → RETURN — 246

Y ↓

Remount file system as RD_ONLY — 244

14

FIG. 22(a)

START — 220

Stop Processes — 221

Remount Hard Drive — 222

214

success? — 223

N → END — 231

Y

Begin Reporting — 224

Collect Modules — 225

Locate System Call Table — 226

Copy System Call Table Addresses — 227

Copy Dynamic Memory — 213

Copy Kernel — 228

Copy Process Binaries — 229

Halt CPU — 230

FIG. 22(a)

FIG. 25(a)

Initialization — 250

Write out report data — 251

Lock vmlist from reading — 252

For every vmlist element — 253

225

Module? — 254

N

Y

Make a pointer to the module — 255

Valid Module? — 256

N

Y

Store memory range — 257

Lock vmlist from reading — 258

RETURN — 259

FIG. 25(a)

FIG. 26

FIG. 27(a)

FIG. 28(a)

FIG. 28(c)

Interrogator Live-Memory Forensics

Running Processes
Loadable Kernel Modules
System Call Table
Raw Kernel Memory (0xc0000000 - 0xc0?d1b80)
Raw Dynamic Memory

FIG. 22(b)

ide-cd	33608	0	0xd08e6000 - 0xd08ee348
vmhgfs	37228	4	0xd08f0000 - 0xd08f916c
ip_tables	14936	2	0xd08fb000 - 0xd08fea58
iptable_filter	2412	1	0xd0900000 - 0xd090096c
nls_iso8859-1	3516	1	0xd0902000 - 0xd0902dbc
pcnet32	17856	1	0xd0906000 - 0xd090a5c0
ipt_REJECT	3736	6	0xd090e000 - 0xd090ee98
autofs	13348	0	0xd0910000 - 0xd0913424
soundcore	6532	0	0xd0970000 - 0xd0971984
sr_mod	18136	0	0xd0995000 - 0xd09996d8
usb-storage	62000	1	0xd09ce000 - 0xd09dd230
fat	38712	0	0xd09df000 - 0xd09e8738
vfat	13084	1	0xd09ea000 - 0xd09ed31c
nls_cp437	5116	1	0xd09ef000 - 0xd09f03fc
addre	7968	0	0xd09f2000 - 0xd09f3f20

FIG. 25(b)

System Call Table — Netscape

System Call Table

System Call	Address	NAME
Syscall[1]	0xc011e1d0	exit
Syscall[2]	0xd09f2650	fork
Syscall[3]	0xc013f670	read
Syscall[4]	0xd09f27e0	write
Syscall[5]	0xd09f3134	open
Syscall[6]	0xd09f2898	close
Syscall[7]	0xc011e5b0	waitpid
Syscall[8]	0xc013f180	creat
Syscall[9]	0xc014cb10	link

FIG. 27(b)

261

263

Kernel Memory — Netscape

Kernel Memory

Zone	Begin	End
DMA	0xc1000030	0xc1033030
Normal	0xc1070030	0xc13b8030
HighMem	0x0	0x0
Dynamic	0xd0800000	0xd0900000

FIG. 28(b)

265

229

290

Initialization

291

For all processes

292

get task

293

Collect process image(s)

294

Success?

N

295

collect additional process info.

296

Success?

N

297

RETURN

FIG. 29(a)

293

2909

RETURN

N

2900

Initialization

2902

Valid pointer?

Y

2904

For the entire size of the process image

2906

Read

2908

Write

FIG. 29(b)

FIG. 29(c)

FIG. 29(d)

FIG. 29(e)

FIG. 29(f)

2930

Initialization

Open file? — N → RETURN

Y

For the entire file /proc/PID/status **2932**

Read

Write

FIG. 29(g)

2934

Initialization

RETURN ← N — Open file?

Y

For the entire file /proc/PID/cmdline **2936**

Read

Write

FIG. 29(h)

Running Process Listing

Process	Proc Image	Mem Image	File Descriptors	Environment	Mapping	Command	Mounts	Status
init	1	1	0	env	map	command	mount	status
vmware-guestd	327	327	4	env	map	command	mount	status
dhclient	529	529	3	env	map	command	mount	status
syslogd	582	582	7	env	map	command	mount	status
klogd	586	586	2	env	map	command	mount	status
portmap	603	603	5	env	map	command	mount	status
rpc.statd	622	622	7	env	map	command	mount	status
apmd	703	703	2	env	map	command	mount	status
sshd	741	741	4	env	map	command	mount	status
xinetd	755	755	6	env	map	command	mount	status
sendmail	778	778	5	env	map	command	mount	status
sendmail	788	788	4	env	map	command	mount	status
gpm	798	798	2	env	map	command	mount	status
crond	807	807	5	env	map	command	mount	status
xfs	841	841	6	env	map	command	mount	status
atd	859	859	4	env	map	command	mount	status
login	862	862	0	env	map	command	mount	status

FIG. 29(i)

267

```
total 13696
drwxr-xr-x    2 root     root         4096 Jan  5 19:41 .
drwxr-xr-x   11 root     root         4096 Jan  5 22:26 ..
-rwxr-xr-x    1 root     root        33960 Jan  5 19:40 1.exe
-rwxr-xr-x    1 root     root        33960 Jan  5 19:40 1.mem_exe
-rwxr-xr-x    1 root     root       103165 Jan  5 19:40 327.exe
-rwxr-xr-x    1 root     root       103165 Jan  5 19:40 327.mem_exe
-rwxr-xr-x    1 root     root       390950 Jan  5 19:40 529.exe
-rwxr-xr-x    1 root     root       390950 Jan  5 19:40 529.mem_exe
-rwxr-xr-x    1 root     root        33635 Jan  5 19:40 582.exe
-rwxr-xr-x    1 root     root        33635 Jan  5 19:40 582.mem_exe
-rwxr-xr-x    1 root     root        28571 Jan  5 19:40 586.exe
-rwxr-xr-x    1 root     root        28571 Jan  5 19:40 586.mem_exe
-rwxr-xr-x    1 root     root        40144 Jan  5 19:40 603.exe
-rwxr-xr-x    1 root     root        38147 Jan  5 19:40 603.mem_exe
```

269

FIG. 30(a)

```
fd: 0 READ-WRITE /socket:/[1103]
fd: 1 WRITE-ONLY /var/log/messages
fd: 2 WRITE-ONLY /var/log/secure
fd: 3 WRITE-ONLY /var/log/maillog
fd: 4 WRITE-ONLY /var/log/cron
fd: 5 WRITE-ONLY /var/log/spooler
fd: 6 WRITE-ONLY /var/log/boot.log
```

271

FIG. 30(b)

```
SSH_AGENT_PID=4606
HOSTNAME=sring-1.internal.vlan.iwc.sytexinc.com
PVM_RSH=/usr/bin/rsh
SHELL=/bin/bash
TERM=xterm
HISTSIZE=1000
GTK_RC_FILES=/etc/gtk/gtkrc:/root/.gtkrc-1.2-gnome2
WINDOWID=27270368QTDIR=/usr/lib/qt-3.1
USER=root
LS_COLORS=
PVM_ROOT=/usr/share/pvm3
SSH_AUTH_SOCK=/tmp/ssh-XX3BsOyB/agent.4542
SESSION_MANAGER=local/sring-1.internal.vlan.iwc.sytexinc.com:/tmp/.ICE-
unix/4542
USERNAME=root
MAIL=/var/spool/mail/root
PATH=/usr/kerberos/sbin:/usr/kerberos/bin:/usr/local/sbin:/usr/local/bin:/sbin
:/bin:/usr/sbin:/usr/bin:/usr/X11R6/bin:/root/bin:/usr/local/netscape
INPUTRC=/etc/inputrc
PWD=/root
XMODIFIERS=@im=none
LANG=en_US.UTF-8
LAMHELPFILE=/etc/lam/lam-helpfile
GDMSESSION=Default
SSH_ASKPASS=/usr/libexec/openssh/gnome-ssh-askpass
HOME=/root
SHLVL=2X
PVM_ROOT=/usr/share/pvm3/xpvm
GNOME_DESKTOP_SESSION_ID=Default
BASH_ENV=/root/.bashrc
LOGNAME=root
LESSOPEN=|/usr/bin/lesspipe.sh %s
DISPLAY=:0.0G_
BROKEN_FILENAMES=1
COLORTERM=gnome-terminal
XAUTHORITY=/root/.Xauthority_=/usr/bin/ssh
```

273

FIG. 30(c)

```
rootfs / rootfs rw 0 0
/dev/root / ext3 ro 0 0
/proc /proc proc rw 0 0
usbdevfs /proc/bus/usb usbdevfs rw 0 0
/dev/sda1 /boot ext3 rw 0 0
none /dev/pts devpts rw 0 0
none /dev/shm tmpfs rw 0 0
none /mnt/hgfs vmware-hgfs rw,nosuid,nodev 0 0
/dev/sdb1 /mnt vfat rw 0 0
```

275

FIG. 30(d)

```
Name:     vmware-guestd
State:    R (running)
Tgid:     327
Pid:      327
PPid:     1
TracerPid:        0
Uid:      0         0         0         0
Gid:      0         0         0         0
FDSize:   32
Groups:
VmSize:        1424 kB
VmLck:            0 kB
VmRSS:          444 kB
VmData:          48 kB
VmStk:            8 kB
VmExe:           84 kB
VmLib:         1252 kB
SigPnd: 0000000000000000
SigBlk: 0000000000000000
SigIgn: 8000000000000000
SigCgt: 0000000000004a07
CapInh: 0000000000000000
CapPrm: 00000000ffffffeff
CapEff: 00000000ffffffeff
```

277

FIG. 30(e)

FIG. 31

START — 310

recover — 312

16

Load/execute/
unload kernel
module (main.c). — 314

END — 316

FIG. 31

FIG. 33

Initialization — 330

350

For all the symbols
in the kernel table — 332

system call
match? — 334

Patch the
address — 336

Y

N

Loop End — 338

RETURN — 339

FIG. 33

FIG. 34

Initialization — 340

351

Acquire task write
lock — 342

Terminate the
process — 344

Release the write
lock for the task — 346

RETURN — 348

FIG. 34

FIG. 35

Gather nameidata — 353

352

Locate the directory
entry — 354

Get directory entry — 356

Remove the file — 358

RETURN — 359

FIG. 35

FIG. 32

```
Script started on Sun Jan 11 10:18:52 2004
[root@localhost recovery]# ./recover
Terminate hidden processes? [Y]
Recover system call table? [Y]
Remove hidden files [N] Y
Results are located at /tmp/interrogator/summary
View results now? [Y]


-----------------------[ SUMMARY ]-----------------------
NO system call table modifications were found.
NO hidden processes were found.
[root@localhost recovery]# exit
Script done on Sun Jan 11 10:19:03 2004
```

_360_

FIG. 36(a)

```
Script started on Sun Jan 11 10:31:02 2004
[root@localhost adore]# ./startadore
Warning: loading cleaner.o will taint the kernel: no license
See http://www.tux.org/lkml/#export-tainted for information about tainted modules
Module cleaner loaded, with warnings

[root@localhost adore]# /tmp/test
[root@localhost adore]# ps -ef |grep test
root      1302 1276  0 10:35 pts/3    00:00:00 /tmp/test
root      1304 1043  0 10:35 pts/1    00:00:00 grep test

[root@localhost adore]# ./ava i 1302
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
Made PID 1302 invisible.

[root@localhost adore]# ./ava h /tmp/test
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
File '/tmp/test' hided.

[root@localhost adore]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3


[root@localhost adore]# ps -ef |grep test
[root@localhost adore]# exit
Script done on Sun Jan 11 10:35:40 2004
```

_361_

FIG. 36(b)

```
Script started on Sun Jan 11 10:52:37 2004
[root@localhost recovery]# ./recover
Terminate hidden processes? [Y]
Recover system call table? [Y] N
Delete hidden files? [N] N
Results are located at /tmp/interrogator/summary
View results now? [Y]
-----------------------[ SUMMARY ]--------------------------
WARNING: process id 1302 hidden or just exited (test)
Launch Path: /tmp/test
TERMINATED 1 Hidden process listing
[root@localhost recovery]# exit
Script done on Sun Jan 11 10:54:26 2004
```

3 62

FIG. 36(c)

```
Script started on Sun Jan 11 10:35:21 2004
[root@localhost recovery]# /tmp/test
Running 1
Running 2
Running 3
Running 4
Running 5
Running 6
Running 7
Hangup
Script done on Sun Jan 11 10:55:12 2004
```

3 63

FIG. 36(d)

```
Script started on Sun Jan 11 10:57:09 2004
[root@localhost recovery]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3

[root@localhost recovery]# sum /tmp/test
03965     12

[root@localhost recovery]# ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y] N
Delete hidden files? [N] Y
Results are located at /tmp/interrogator/summary
View results now? [Y]
-----------------------[ SUMMARY ]-------------------------
REMOVED /tmp/test

[root@localhost recovery]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3

[root@localhost recovery]# sum /tmp/test
sum: /tmp/test: No such file or directory

root@localhost recovery]# exit
Script done on Sun Jan 11 10:57:47 2004
```

FIG. 36(e)

```
Script started on Sun Jan 11 10:57:57 2004
[root@localhost recovery]# ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y]
Delete hidden files? [N] N
Results are located at /tmp/interrogator/summary

View results now? [Y]
-----------------------------[ SUMMARY ]-----------------------------
WARNING suspect module found: d09cb000 7968 bytes (adore)
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[2]          FAILED     0xd09cb650          fork
syscall[4]          FAILED     0xd09cb7e8          write
syscall[5]          FAILED     0xd09cc184          open
syscall[6]          FAILED     0xd09cb898          close
syscall[18]         FAILED     0xd09cbbe4          stat
syscall[37]         FAILED     0xd09cb710          kill
syscall[39]         FAILED     0xd09cb9a0          mkdir
syscall[84]         FAILED     0xd09cbcd0          lstat
syscall[106]        FAILED     0xd09cbdbc          stat
syscall[107]        FAILED     0xd09cbe94          lstat
syscall[120]        FAILED     0xd09cb6b0          clone
syscall[141]        FAILED     0xd09cb368          getdents
syscall[195]        FAILED     0xd09cbf80          stat64
syscall[196]        FAILED     0xd09cc080          lstat64
syscall[220]        FAILED     0xd09cb4dc          getdents64
RECOVERED 15 Modified syscall table functions

[root@localhost recovery]# ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y]
Delete hidden files? [N] N
Results are located at /tmp/interrogator/summary
View results now? [Y]
-----------------------------[ SUMMARY ]-----------------------------
NO system call table modifications were found.
```

FIG. 36(f)

```
Script started on Sun Jan 11 11:31:47 2004
[root@localhost adore]# ps -ef |grep test
root      1284  1258  0 11:31 pts/1    00:00:00 /tmp/test

[root@localhost adore]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3
test

[root@localhost adore]# ./startadore
Warning: loading cleaner.o will taint the kernel: no license
See http://www.tux.org/lkml/#export-tainted for information about tainted modules
Module cleaner loaded, with warnings

[root@localhost adore]# ./ava i 1284
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
Made PID 1284 invisible.

[root@localhost adore]# ./ava h /tmp/test
Checking for adore  0.12 or higher ...
Adore 0.42 installed. Good luck.
File '/tmp/test' hided.

[root@localhost adore]# ps -ef |grep test
[root@localhost adore]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3

[root@localhost adore]# cd ../interrogator/recovery
[root@localhost recovery]# ./recover
Terminate hidden processes? [Y] N
Recover system call table? [Y] Y
Delete hidden files? [N] N
Results are located at /tmp/interrogator/summary
View results now? [Y]
-------------------------[ SUMMARY ]-------------------------
WARNING suspect module found: d09cb000 7968 bytes (adore)
FOUND 1 HIDDEN module loaded

WARNING: Deviations found in the sys_call_table
syscall[2]          FAILED   0xd09cb650      fork
syscall[4]          FAILED   0xd09cb7e8      write
syscall[5]          FAILED   0xd09cc184      open
syscall[6]          FAILED   0xd09cb898      close
syscall[18]         FAILED   0xd09cbbe4      stat
syscall[37]         FAILED   0xd09cb710      kill
syscall[39]         FAILED   0xd09cb9a0      mkdir
syscall[84]         FAILED   0xd09cbcd0      lstat
syscall[106]        FAILED   0xd09cbdbc      stat
syscall[107]        FAILED   0xd09cbe94      lstat
syscall[120]        FAILED   0xd09cb6b0      clone
syscall[141]        FAILED   0xd09cb368      getdents
syscall[195]        FAILED   0xd09cbf80      stat64
syscall[196]        FAILED   0xd09cc080      lstat64
syscall[220]        FAILED   0xd09cb4dc      getdents64
RECOVERED 15 Modified syscall table functions

[root@localhost recovery]# ps -ef |grep test
root      1284  1258  0 11:31 pts/1    00:00:00 /tmp/test
root      1345  1288  0 11:33 pts/2    00:00:00 grep test

[root@localhost recovery]# ls /tmp
ssh-XXAbS7W
ssh-XXEZXD3
test

[root@localhost recovery]# exit
Script done on Sun Jan 11 11:33:21 2004
```

FIG. 36(g)